

Issue Date: 01-Sep-2012

Revision Date: 01-Jan-2015

Version 1

Safety Data Sheet

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

SDS #	
<b>Product Code</b>	
<b>Product Name</b>	è

46612N-EU 46612N Slide Knock Out

Synonyms

Slide Special Paintable Polyalkylene Glycol 55012

Formula

#### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use

Industrial Mold Release

### 1.3. Details of the Supplier of the Safety Data Sheet

Supplier Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

#### For further information, please contact

Contact Point	Slide Products: 1-847-541-7220
Email Address	info@slideproducts.com

#### 1.4. Emergency telephone number

Emergency Telephone (24 hr)

INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

# Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

#### Regulation (EC) No 1272/2008

Flammable Aerosols

Category 2

#### Classification according to 67/548/EEC

Full text of R-phrases: see section 16

# R-code(s)

R10

#### 2.2. Label Elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP].



Signal Word Warning

#### Hazard Statements

H223 - Flammable aerosol EUH210 - Safety data sheet available on request

#### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### 2.3. Other Hazards

#### **General Hazards**

None known

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Dimethyl ether	Present	115-10-6	55-65	F+; R12	Flam. Gas 1 (H220) Press. Gas (H280)	Not determined
Propane	Present	68476-86-8	30-40	F+; R12 Carc.Cat.1; R45 Muta.Cat.2; R46	Muta. 1B (H340) Carc. 1A (H350) Flam. Gas 1 (H220) Press. Gas	Not determined

#### Full text of R-phrases: see section 16

#### Full text of H- and EUH-phrases: see section 16

# Section 4: FIRST AID MEASURES

#### 4.1. Description of First Aid Measures

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Call a physician immediately.
Skin Contact	Wash with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

## 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

SymptomsInhalation symptoms may include dizziness and headache. Nausea. Concentrated spray<br/>may cause freezing of skin area. Direct contact with eyes may cause temporary irritation.

#### 4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

# Section 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing Media

#### Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam.

#### **Unsuitable Extinguishing Media**

Not determined.

#### 5.2. Special Hazards Arising from the Substance or Mixture

Aerosol flame projection test: 18" flame projection. Aerosols may rupture violently at temperatures above 120 F.

Hazardous Combustion Products Hydrogen fluoride and other fluorine compounds.

#### 5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

# Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

#### **Personal Precautions**

Use personal protective equipment as required.

#### For Emergency Responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental Precautions

See Section 12 for additional Ecological Information.

### 6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment Remove leaking container to outside disposal site. Remove all sources of ignition.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

#### 6.4. Reference to Other Sections

See Section 13: DISPOSAL CONSIDERATIONS.

# Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

#### Advice on Safe Handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for Safe Storage, Including any Incompatibilities

#### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122 °F. Protect from direct sunlight.

#### 7.3. Specific End Use(s)

# Specific Use(s)

Mold release.

#### **Risk Management Methods (RMM)**

The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

#### **Exposure Limits**

Threshold Limit Value: 1000 ppm.

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Dimethyl ether 115-10-6	TWA 1000 ppm TWA 1920 mg/m <sup>3</sup>	STEL: 500 ppm STEL: 958 mg/m <sup>3</sup> TWA: 400 ppm TWA: 766 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> Ceiling / Peak: 8000 ppm Ceiling / Peak: 15200 mg/m <sup>3</sup>
Component	Italy	Portugal	Netherlands	Finland	Denmark
Dimethyl ether 115-10-6 ( 55-65 )	TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>		STEL: 1500 mg/m <sup>3</sup> TWA: 950 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 2000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Dimethyl ether 115-10-6	STEL 2000 ppm STEL 3820 mg/m <sup>3</sup> TWA: 1000 ppm	TWA: 1000 ppm TWA: 1910 mg/m <sup>3</sup>	TWA: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 384 mg/m <sup>3</sup> STEL: 250 ppm	TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>

### 8.2. Exposure Controls

Engineering Controls

**Hand Protection** 

Apply technical measures to comply with the occupational exposure limits.

#### Personal Protective Equipment Eye/Face Protection

**Skin and Body Protection** 

**Respiratory Protection** 

Proper eye care is needed in all industrial operations. Protective gloves are not required, but recommended. Suitable protective clothing. No protection is ordinarily required under normal conditions of use and with adequate

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on Basic Physical and Chemical Properties

ventilation.

Physical State	Aerosol
Appearance	Clear, oily, colorless liquid
Color	Colorless

Odor Odor Threshold No odor Not determined

### 46612N-EU - Slide Knock Out

Property	Values	Remarks • Method
рН	Not determined	
Melting Point/Freezing Point	< -45 ℃ / <-50 ℉	
Boiling Point/Boiling Range	Not available	
Flash Point	Not applicable	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Flammable aerosol	
Flammability Limits in Air		
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not available	
Vapor Density	>1	(Air=1)
Relative Density	0.81	(1=Water)
Water Solubility	Not soluble	
Solubility(ies)	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
9.2 Other information		

#### 9.2. Other information Density

Weight per gallon: 6.79

# Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

Not reactive under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of Hazardous Reactions

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### 10.4. Conditions to Avoid

High heat or open flames.

#### 10.5. Incompatible Materials

Powdered or alkaline earth metals.

#### 10.6. Hazardous Decomposition Products

Hydrogen fluoride and other fluorine compounds.

# Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects

**Acute Toxicity** 

### **Product Information**

Eye Contact

Avoid contact with eyes.

# 46612N-EU - Slide Knock Out

Skin Contact	Causes mild skin irritation.	
Inhalation	Avoid breathing vapors or mists.	
Ingestion Do not taste or swallow.		
The following values are calculated based on chapter 3.1 of the GHS document:		

Inhalation	······································
Vapor	514.20
Units	mg/L

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl ether			= 308.5 mg/L (Rat)4 h
Polyalkylene Glycol	= 9100 mg/kg (Rat)	= 13340 mg/kg (Rabbit) = 21200 uL/kg (Rabbit)	

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	None known based on information supplied.

Chemical		European Union
Propa	ne	Carc. 1A
Reproductive toxicity	Not classified.	
STOT - single exposure	Not classified.	
STOT - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Symptoms	Please see section 4 of this SDS for symptoms.	
Symptoms	Please see section 4 of this SDS for symptoms.	

# Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### 12.2. Persistence and Degradability

Not determined.

#### 12.3. Bioaccumulative Potential

Chemical Name	Partition Coefficient
Dimethyl ether	-0.18
Propane	<=2.8

#### 12.4. Mobility in Soil

Mobility Not determined.

# 12.5. Results of PBT and vPvB Assessment

Not determined.

# 12.6. Other Adverse Effects

Not determined.

# Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste Treatment Methods

Waste from Residues / Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.		
Section 14: TRANSPORT INFORMATION			
Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances Based on package size, product may be eligible for limited quantity exception		
IMDG 14.1 UN/ID No 14.2 Proper Shipping Name 14.3 Hazard Class	UN1950 Aerosols 2.1		
<u>RID</u> 14.1 UN/ID No 14.2 Proper Shipping Name 14.3 Hazard Class	UN1950 Aerosols 2.1		
<u>ADR</u> 14.1 UN/ID No 14.2 Proper Shipping Name 14.3 Hazard Class	UN1950 Aerosols 2.1		
<u>ICAO (air)</u> 14.1 UN/ID No 14.2 Proper Shipping Name 14.3 Hazard Class	UN1950 Aerosols, flammable 2.1		
<u>IATA</u> 14.1 UN/ID No 14.2 Proper Shipping Name 14.3 Hazard Class	UN1950 Aerosols, flammable 2.1		

# Section 15: REGULATORY INFORMATION

## 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

# European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### International Inventories

TSCA	Listed
EINECS/ELINCS	-
DSL/NDSL	-

PICCS	-
ENCS	-
IECSC	-
AICS	-
KECL	-

#### Legend

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 AICS - Australian Inventory of Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

## 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# Section 16: OTHER INFORMATION

#### Full text of R-phrases referred to under sections 2 and 3

R12 - Extremely flammable R10 - Flammable

# Full text of H-Statements referred to under sections 2 and 3

H220 - Extremely flammable gas H280 - Contains gas under pressure; may explode if heated

#### **Classification Procedure**

Calculation method

Issue Date:	01-Sep-2012
Revision Date:	01-Jan-2015
Revision Note:	New format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Regulation (EU) No. 453/2010

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet