

**SDS Revision Date: 03/03/2025** 

### Section 1. Identification

Product identifier 60882

**Product Identity**Slide 3% Casting Mold Release **Other means of identification**Slide 3% Casting Mold Release

Relevant identified uses of the substance or mixture and uses advised against

Industrial Mold Release

Details of the supplier of the safety data sheet

**Company Name** Slide Products Inc.

430 Wheeling Road Wheeling, IL 60090

Initial Supplier Identifier: THIS SAFETY DATA SHEET IS NOT COMPLIANT UNLESS CANADIAN

**ADDRESS IS USED** 

PLEASE CONTACT A CANADIAN SLIDE DISTRIBUTOR FOR THE FULLY

COMPLIANT SDS FILE

**Emergency** 

24 hour Emergency

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

Telephone No.

1-800-535-5053 (North America)

**Customer Service:** 

Phone: 1-847-541-7220 Fax: 1-847-541-7986

### Section 2. Hazard(s) identification

### Classification of the substance or mixture

Extremely flammable gas.

Contains gas under pressure; may explode if heated.

May be fatal if swallowed and enters airways.

May displace oxygen and cause rapid suffocation.



### SDS Revision Date: 03/03/2025

#### **Label elements**









### **Danger**

Extremely flammable gas.

Contains gas under pressure; may explode if heated.

May be fatal if swallowed and enters airways.

May cause drowsiness and dizziness.

May displace oxygen and cause rapid suffocation.

### [Prevention]:

Keep away from heat, sparks, open flames, and other ignition sources - No smoking. Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area.

### [Response]:

IF SWALLOWED: Immediately call a POISON CENTER, doctor or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER, doctor or physician if you feel unwell.

Do NOT induce vomiting.

Leaking gas fire - do not extinguish unless leak can be stopped safely.

In case of leakage, eliminate all ignition sources.

### [Storage]:

Store in a well ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Store in a well ventilated place.

### [Disposal]:

Dispose of contents or container in accordance with local and national regulations.



**SDS Revision Date: 03/03/2025** 

### Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Dimethyl ether	50 - 75	Flam. Gas 1;H220	
CAS Number: 115-10-6		Press. Gas;H280	
Synonyms: Methane, oxybis-			
1,1-Difluoroethane	25 - 50	Flam. Gas 1;H220	
CAS Number: 75-37-6		Liquified Gas;H280	
Synonyms: 1,1-difluoroethane (HFC-152A)		STOT SE 3;H336	
		Simple Asphyxiant	
Polyalkylene glycol monobutyl ether	1 - 5	Not Classified	
CAS Number: 9038-95-3			
Synonyms: Oxirane, Oxirane, methyl-, polymerwith oxirane, monobutyl ether,			
Oxirane, polymer with methyloxirane, monobutyl ether, Ethylene oxide-propylene			
oxide copolymer monobutyl ether			

The actual concentration or concentration range is withheld as a trade secret.

#### Section 4. First aid measures

### **Description of first aid measures**

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position and

obtain immediate medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart

and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT

induce vomiting.

<sup>\*</sup>PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.



### Most important symptoms and effects, both acute and delayed

Overview No chronic toxicity or long term toxicity information available. Treat symptomatically. Exposure to solvent vapour concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

**Inhalation** May be fatal if swallowed and enters airways.

# Section 5. Fire-fighting measures

**SDS Revision Date: 03/03/2025** 

### **Extinguishing media**

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

### Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking. Avoid breathing dust, fume, gas, mist, vapours, spray.

### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.



**SDS Revision Date: 03/03/2025** 

#### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### **Environmental precautions**

Do not allow spills to enter drains or waterways.

### Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapours. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

### Section 7. Handling and storage

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage. See section 2 for further details. - [Prevention]:

### Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids. See section 2 for further details. - [Storage]:

### Specific end use(s)

No available information



Safety Data Sheet SDS Revision Date: 03/03/2025

### Section 8. Exposure controls / personal protection

### **Control parameters**

### **Exposure Limits**

CAS No.	Ingredient	Source	Value
75-37-6 1,1-Dif	1,1-Difluoroethane	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
115-10-6	Dimethyl ether	ACGIH	TWA: 1000 ppm
		Alberta	No Established Limit
		British Columbia	1000 ppm TWA
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
9038-95-3	Polyalkylene glycol monobutyl ether	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit



### **Exposure controls**

**Respiratory** If workers are exposed to concentrations above the exposure limit they

must use the appropriate, certified respirators.

**Eyes** Protective safety glasses recommended.

**Skin** Avoid skin contact. Protective gloves recommended.

**Engineering Controls** 

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapour below occupational exposure limits suitable respiratory protection

**SDS Revision Date: 03/03/2025** 

must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

See section 2 for further details.



SDS Revision Date: 03/03/2025

### Section 9. Physical and chemical properties

Appearance Clear, Colorless Pressurized aerosol dispensed as a

mist.

Odour threshold

PH

No available information

Flammability (solid, gas) Gas

Upper/lower flammability or explosive

limits

Lower Explosive Limit: No available information

**Upper Explosive Limit:** No available information

Vapour pressure (Pa) 64.0 psig

Vapour Density 2
Relative Density 0.83

**Solubility in Water**Partition coefficient n-octanol/water (Log
No available information
No available information

Kow)

Auto-ignition temperatureNo available informationDecomposition temperatureNo available informationViscosity (cSt)No available informationOxidising propertiesNo available informationExplosive propertiesNo available information

Water Solubility Slightly soluble

### Other information

No other relevant information.



SDS Revision Date: 03/03/2025

### Section 10. Stability and reactivity

#### Reactivity

Hazardous Polymerization will not occur.

### **Chemical stability**

Stable under normal circumstances.

### Possibility of hazardous reactions

No available information

#### Conditions to avoid

Excessive heat and open flame.

### **Incompatible materials**

Strong oxidizing agents and acids.

### **Hazardous decomposition products**

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

#### Section 11. Toxicological information

#### Acute toxicity

Exposure to solvent vapour concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).



Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Dimethyl ether - (115-10-6)	{calcoral}	{CalcDerm}	{CalcInhV}	{CalcInhDM}	{CalcInhG}
1,1-Difluoroethane - (75-37-6)	{calcoral}	{CalcDerm}	{CalcInhV}	{CalcInhDM}	{CalcInhG}
Polyalkylene glycol monobutyl ether - (9038-95-3)	{calcoral}	{CalcDerm}	{CalcInhV}	{CalcInhDM}	{CalcInhG}

**SDS Revision Date: 03/03/2025** 

### **Carcinogen Data**

CAS No.	Ingredient	Source	Value
75-37-6	1,1-Difluoroethane	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
			Group 4: No;
		ACGIH	No Established Limit
115-10-6	Dimethyl ether	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
			Group 4: No;
		ACGIH	No Established Limit
9038-95-3	Polyalkylene glycol monobutyl	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
	ether		Group 4: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-single exposure	3	May cause drowsiness or dizziness.
STOT-repeated exposure		Not Applicable
Aspiration hazard	1	May be fatal if swallowed and enters airways.

### Possible routes of entry:

No available information

### Symptoms and effects, both acute and delayed:

No chronic toxicity or long term toxicity information available. Treat symptomatically.

### Inhalation

May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.



<b>SDS Revision</b>	Date: 03,	/03/2025
---------------------	-----------	----------

### Section 12. Ecological information

### **Toxicity**

No additional information provided for this product. See Section 3 for chemical specific data.

### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Dimethyl ether - (115-10-6)	{CalcFish}	{CalcCrust}	{CalcAlgae}
1,1-Difluoroethane - (75-37-6)	{CalcFish}	{CalcCrust}	{CalcAlgae}
Polyalkylene glycol monobutyl ether - (9038-95-3)	{CalcFish}	{CalcCrust}	{CalcAlgae}

### Persistence and degradability

There is no data available on the preparation itself.

### **Bioaccumulative potential**

No available information

### Mobility in soil

No available information

### Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

### Other adverse effects

No available information

### **Section 13. Disposal considerations**

### Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.



### **Section 14. Transport information**

SDS Revision Date: 03/03/2025

When shipped in containers of 0.3 gallons (1 L) or less this material may be reclassified in accordance with DOT regulations 49 CFR 173.150 / IATA DGR packing instruction Y341/ IMDG Code 3.4 as: Limited Quantity.

Classification Method: Classified as per Part 2, Sections 2.1-2.8 of the Transportation of Dangerous Goods Regulations.

	TDG (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
UN number	1950	1950	1950
UN proper	Aerosols	Aerosols, flammable	Aerosols,
shipping name			flammable
Transport hazard	Class:2.1	Class:2.1	Class:2.1
class(es)	Sub Class:Not Applicable	Sub Class: Not Applicable	Sub Class:Not
			Applicable
Packing group	Not Applicable	Not Applicable	Not Applicable

### **Environmental hazards**

Marine Pollutant: No;

### Special precautions for user

No available information.

### Section 15. Regulatory information

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17 amended 2022-12-15) and the SDS contains all of the information required by those regulations.

### **Canadian Domestic Substance List (DSL):**

1,1-Difluoroethane

Dimethyl ether

Polyalkylene glycol monobutyl ether

### **Canadian Non-Domestic Substance List (NDSL):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



**SDS Revision Date: 03/03/2025** 

Section	16.	Other	inform	ation
36666	-0.	<b>U</b> (11 C 1		aucioii

SDS Revision Date 03/03/2025

<u>NFPA</u>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<u>HMIS</u>	Health Hazards	Flammability 3	<b>Physical Hazards</b> 0	Personal Protection B

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H336 May cause drowsiness and dizziness.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

**End of Document**