

## TECHNICAL DATA SHEET





## **Epoxease Mold Release Aerosol** 40614

## **Product Description**

EpoxEase is a synthetic wax-based, non-silicone release. It is formulated to prevent the sticking commonly seen when using all-purpose release agents on epoxies, maximizing your productivity. Ideal for use on epoxy, polyester and phenolic resins and most often utilized in encapsulating and potting applications.

Applications Mold Release

Unit Package Description 16 ounce aerosol

Generic Description Mold Release for Epoxy Resins

Net Weight Fill 14 net ounces

**UPC Code** 858799000066

Appearance Light-brown Oily Wax

Odor Petroleum like

Flash Point F Not Applicable

Flash Point C Not Applicable

Base Type Wax

**Evaporation Rate** Fast

**HMIS Rating** 2, 3, 0, B

**DOT Proper Shipping Name** UN 1950, Aerosols, Flammable, 2.1, Limited Quantity

**VOC % (Federal)** 92.58

VOC g/L (Federal) 986.68

VOC lbs./Gal (Federal) 8.23

**Removal** Remove with organic or hydrocarbon solvents

Units Per Case 12

Case Weight (lbs) 15

Working Temperature F 32 to 450 degrees

Working Temperature C 0 to 232 degrees

**Propellant** Propane

NFPA Aerosol Flammability Level 1